

(19) 世界知的所有権機関
国際事務局



(43) 国際公開日
2005 年 8 月 4 日 (04.08.2005)

PCT

(10) 国際公開番号
WO 2005/070574 A1

- (51) 国際特許分類⁷: B21B 17/14, 27/02
(21) 国際出願番号: PCT/JP2005/000704
(22) 国際出願日: 2005 年 1 月 20 日 (20.01.2005)
(25) 国際出願の言語: 日本語
(26) 国際公開の言語: 日本語
(30) 優先権データ:
特願2004-012838 2004 年 1 月 21 日 (21.01.2004) JP
(71) 出願人 (米国を除く全ての指定国について): 住友金属工業株式会社 (SUMITOMO METAL INDUSTRIES, LTD.) [JP/JP]; 〒5410041 大阪府大阪市中央区北浜 4 丁目 5 番 3 3 号 Osaka (JP). 住友鋼管株式会社 (SUMITOMO PIPE AND TUBE CO., LTD.) [JP/JP]; 〒3140014 茨城県鹿嶋市大字光3番地 5 号 Ibaraki (JP).
(72) 発明者; および
(75) 発明者/出願人 (米国についてのみ): 奥井 達也 (OKUI,

Tatsuya) [JP/JP]; 〒5410041 大阪府大阪市中央区北浜 4 丁目 5 番 3 3 号 住友金属工業株式会社内 Osaka (JP). 黒田 浩一 (KURODA, Koichi) [JP/JP]; 〒5410041 大阪府大阪市中央区北浜 4 丁目 5 番 3 3 号 住友金属工業株式会社内 Osaka (JP).


(74) 代理人: 上羽秀敏, 外 (UEBA, Hidetoshi et al.); 〒5300043 大阪府大阪市北区天満 2 丁目 2 番 1 号 角野ビル 4 階 インテリクス国際特許事務所 Osaka (JP).

(81) 指定国 (表示のない限り、全ての種類の国内保護が可能): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

[続葉有]

(54) Title: TUBE REDUCING APPARATUS AND ROLL FOR TUBE REDUCING APPARATUS

(54) 発明の名称: 管の絞り圧延装置及び絞り圧延装置用ロール



(57) Abstract: A tube reducing apparatus, comprising a plurality of stands disposed along a rolling axis, wherein a tube is passed through the plurality of stands along the rolling axis for reducing. Each of the stands comprises rolls of (n) in quantity ($n \geq 3$) disposed around the rolling axis, and the rolls of (n) in quantity are displaced $180^\circ/n$ around the rolling axis from the rolls of (n) in quantity contained in the stand on a previous stage. Each of the rolls of (n) in quantity contained in the stands excluding the last stand comprises a groove of arch shape in cross section. The bottom part of the groove is formed in an arc shape having a first radius about the rolling axis in cross section, and a distance between the surface of a roll flange part positioned between the bottom part of the groove and the edge of the groove and the rolling axis is longer than the first radius, and a distance between the edge of the groove and the rolling axis is longer than the first radius at the groove of the roll contained in the stand on the previous stage. Accordingly, the tube reducing apparatus can suppress both the angulation of inner surfaces and the occurrence of damage to edges.

[続葉有]



WO 2005/070574 A1



(84) 指定国 (表示のない限り、全ての種類の広域保護が可能): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), ユーラシア (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), ヨーロッパ (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

2文字コード及び他の略語については、定期発行される各PCTガゼットの巻頭に掲載されている「コードと略語のガイダンスノート」を参照。

添付公開書類:

— 国際調査報告書

(57) 要約: 本発明による絞り圧延装置は、圧延軸に沿って配列された複数のスタンドを備え、管を圧延軸に沿って複数のスタンドに通して絞り圧延する。スタンドの各々は、圧延軸の周りに配置された n 個 ($n \geq 3$) のロールを含み、 n 個のロールは前段のスタンドに含まれる n 個のロールから圧延軸周りに $180^\circ/n$ ずらして配置される。最後尾のスタンドを除くスタンドに含まれる n 個のロールの各々は、横断面で弓状をなす溝を有する。溝の底部は横断面で圧延軸を中心とした第1の半径を有する円弧をなし、溝の底部と溝の縁との間に位置するロールフランジ部の表面と圧延軸との間の距離は第1の半径よりも長く、溝の縁と圧延軸との間の距離は前段のスタンドに含まれるロールの溝における第1の半径よりも長い。そのため、本発明による絞り圧延装置は、内面角張とエッジきずの発生とをともに抑制できる。

INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP2005/000704

A. CLASSIFICATION OF SUBJECT MATTER Int.Cl ⁷ B21B17/14, 27/02		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) Int.Cl ⁷ B21B17/14, 27/02		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Jitsuyo Shinan Koho 1922-1996 Jitsuyo Shinan Toroku Koho 1996-2005 Kokai Jitsuyo Shinan Koho 1971-2005 Toroku Jitsuyo Shinan Koho 1994-2005		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	JP 2000-334504 A (Sumitomo Metal Industries, Ltd.), 05 December, 2000 (05.12.00), Claim 1; Par. No. [0035]; table 2 (Family: none)	1-7
X Y	JP 6-210318 A (Sumitomo Metal Industries, Ltd.), 02 August, 1994 (02.08.94), Par. Nos. [0036], [0041], [0043]; Figs. 4 to 5 & US 5533370 A1	8-11, 14 1-7, 12
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier application or patent but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family		
Date of the actual completion of the international search 13 April, 2005 (13.04.05)		Date of mailing of the international search report 26 April, 2005 (26.04.05)
Name and mailing address of the ISA/ Japanese Patent Office		Authorized officer
Facsimile No.		Telephone No.

International application No.

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Form PCT/ISA/210 (continuation of second sheet) (January 2004)